

Chapter 6 Review Sheet

a) $\frac{\sin x}{\cos x}$ NPV: $x \neq \frac{\pi}{2} + \pi n, n \in \mathbb{I}$

b) $\cos x \neq 1$
 $x \neq 0 + 2\pi n, n \in \mathbb{I}$

c) $\sin x \neq -1$
 $x \neq \frac{3\pi}{2} + 2\pi n, n \in \mathbb{I}$

#2. $\sin \theta \neq 0$
 $\theta \neq 0 + \pi n, n \in \mathbb{I}$

$\cos \theta \neq 1$

$\theta \neq 0 + 2\pi n, n \in \mathbb{I}$

Restriction
 $\theta \neq \pi n, n \in \mathbb{I}$

#3. $\frac{\cot x}{\csc x} = \frac{\cos x}{\sin x} \cdot \frac{1}{\frac{1}{\sin x}}$

$= \frac{\cos x}{\sin x} \cdot \frac{\sin x}{1}$
 $= \cos x$

b) $\frac{1}{\cot x \sec x} = \frac{1}{\frac{\cos x}{\sin x} \cdot \frac{1}{\cos x}}$
 $= \sin x$

c) $\frac{1 - \tan x}{\cot x - 1}$
 $= \frac{1 - \frac{\sin x}{\cos x}}{\frac{\cos x}{\sin x} - 1}$
 $= \frac{\frac{\cos x - \sin x}{\cos x}}{\frac{\cos x - \sin x}{\sin x}}$
 $= \frac{\cos x - \sin x}{\cos x} \cdot \frac{\sin x}{\cos x - \sin x}$

$= \frac{\sin x}{\cos x}$
 $= \tan x$

$$\begin{aligned}
 \#5. \quad & 2(\csc^2 x - \cot^2 x) \\
 &= 2 \left(\frac{1}{\sin^2 x} - \frac{\cos^2 x}{\sin^2 x} \right) \\
 &= 2 \left(\frac{1 - \cos^2 x}{\sin^2 x} \right) \\
 &= \frac{2(\sin^2 x)}{\sin^2 x} \\
 &= 2
 \end{aligned}$$

$$\begin{aligned}
 b) \quad & \cot^2 x (\sec^2 x - 1) \\
 &= \cot^2 x (\tan^2 x) \\
 &= \frac{\cos^2 x}{\sin^2 x} \cdot \frac{\sin^2 x}{\cos^2 x} \\
 &= 1
 \end{aligned}$$

$$\begin{aligned}
 c) \quad & \frac{\sin^2 x}{\cos^2 x} + \sin x \csc x \\
 &= \frac{\sin^2 x}{\cos^2 x} + \frac{\sin x \cdot 1}{\sin x} \\
 &= \tan^2 x + 1 \\
 &= \sec^2 x
 \end{aligned}$$

$$d) \quad \frac{\cos x}{\sin x \csc x} = 1$$

$$\begin{aligned}
 e) \quad & \tan x \cos^2 x \\
 &= \frac{\sin x}{\cos x} \cdot \cos^2 x \\
 &= \sin x \cos x
 \end{aligned}$$

$$\begin{aligned}
 f) \quad & \frac{1}{\sec^2 x} + \frac{1}{\csc^2 x} \\
 &= \cos^2 x + \sin^2 x \\
 &= 1
 \end{aligned}$$

$$\begin{aligned}
 6. \quad & \frac{\sec x}{\sin x} - \frac{\sin x}{\cos x} \\
 &= \frac{1}{\cos x \sin x} - \frac{\sin x}{\cos x} \\
 &= \frac{1}{\cos x \sin x} - \frac{\sin x}{\cos x} \\
 &= \frac{1 - \sin^2 x}{\sin x \cos x} \\
 &= \frac{\cos^2 x}{\sin x \cos x} \\
 &= \cot x
 \end{aligned}$$

$$\begin{aligned}
 b) \quad & \cos x + \tan x \sin x \\
 &= \cos x + \frac{\sin x}{\cos x} \sin x \\
 &= \frac{\cos^2 x + \sin^2 x}{\cos x} \\
 &= \frac{1}{\cos x} \\
 &= \sec x
 \end{aligned}$$

$$\begin{aligned}
 c) \quad & \sin x + \cos x \frac{\cos x}{\sin x} \\
 &= \frac{\sin^2 x + \cos^2 x}{\sin x} \\
 &= \frac{1}{\sin x} = \csc x
 \end{aligned}$$

$$\begin{aligned}
 \#7. \quad & \sin^4 x - \cos^4 x = 2\sin^2 x - 1 \\
 & \sin^4 \frac{\pi}{4} - \cos^4 \frac{\pi}{4} = 2\sin^2 \left(\frac{\pi}{4}\right) - 1 \\
 & \left(\frac{\sqrt{2}}{2}\right)^4 - \left(\frac{\sqrt{2}}{2}\right)^4 = 2\left(\frac{\sqrt{2}}{2}\right)^2 - 1 \\
 & \frac{4}{16} - \frac{4}{16} = 2\left(\frac{2}{4}\right) - 1 \\
 & 0 = 0
 \end{aligned}$$

$$\begin{aligned}
 \#8 \quad & \sin(20+35) \\
 & \sin 63^\circ \\
 b) \quad & \cos\left(\frac{\pi}{12} - \frac{\pi}{4}\right) \\
 & \cos\left(-\frac{\pi}{6}\right)
 \end{aligned}$$

$$\#9. \cos(30^\circ) = \frac{\sqrt{3}}{2}$$

$$b) \sin\left(\frac{\pi}{3} + \frac{\pi}{6}\right)$$

$$\sin \frac{\pi}{2} = 1$$

$$\#10. 2 \sin \frac{\pi}{6} \cos \frac{\pi}{6}$$

$$= 2\left(\frac{1}{2}\right)\left(\frac{\sqrt{3}}{2}\right)$$

$$= \frac{\sqrt{3}}{2}$$

$$b) \cos^2 \frac{\pi}{3} - \sin^2 \frac{\pi}{3}$$

$$= \left(\frac{1}{2}\right)^2 - \left(\frac{\sqrt{3}}{2}\right)^2$$

$$= \frac{1}{4} - \frac{3}{4}$$

$$= -\frac{1}{2}$$

$$\#11. \sin(90^\circ + A)$$

$$= \sin 90^\circ \cos A + \cos 90^\circ \sin A$$

$$= \cos A$$

$$b) \cos(2\pi + A)$$

$$= \cos 2\pi \cos A - \sin 2\pi \sin A$$

$$= \cos A$$

$$\#12. \frac{\sin 2\theta}{2 \sin \theta} = \frac{2 \cancel{\sin \theta} \cos \theta}{2 \cancel{\sin \theta}}$$

$$= \cos \theta$$

$$b) \frac{\cos 3x \cos x - \sin 3x \sin x}{\cos 4x}$$

$$c) \frac{\cos 2\theta - 1}{2 \sin \theta} = \frac{1 - 2 \sin^2 \theta - 1}{2 \sin \theta}$$

$$= \frac{-2 \sin^2 \theta}{2 \sin \theta}$$

$$= -\sin \theta$$

$$d) \frac{\sin^3 x}{\cos 2x - \cos^2 x} = \frac{\sin^3 x}{\cos^2 x - \sin^2 x - \cos^2 x}$$

$$= \sin x$$

#13. $\cos \frac{2\pi}{3}$

$$\begin{aligned} \cos\left(\frac{\pi}{2} + \frac{\pi}{6}\right) &= \cos \frac{\pi}{2} \cos \frac{\pi}{6} - \sin \frac{\pi}{2} \sin \frac{\pi}{6} \\ &= 0 - 1\left[\frac{1}{2}\right] \\ &= -\frac{1}{2} \end{aligned}$$

b) $\tan 15^\circ = \tan(45 - 30)$

$$\tan(45 - 30) = \frac{\tan 45 - \tan 30}{1 + \tan 45 \tan 30}$$

$$= \frac{1 - \frac{\sqrt{3}}{3}}{1 + \frac{\sqrt{3}}{3}}$$

$$= \frac{3 - \sqrt{3}}{3 + \sqrt{3}}$$

$$= \frac{3 - \sqrt{3}}{3} \cdot \frac{3}{3 + \sqrt{3}}$$

$$= \frac{3 - \sqrt{3}}{3 + \sqrt{3}}$$

★ #15 $\sin A = \frac{3}{5}$ ($\frac{3}{4}$)

$$\cos A = \frac{4}{5}$$

$\cos B = \frac{5}{13}$ ($\frac{5}{12}$)

$$\sin B = \frac{12}{13}$$

a) $\cos(A - B) = \left(\frac{4}{5}\right)\left(\frac{5}{13}\right) - \left(\frac{3}{5}\right)\left(\frac{12}{13}\right)$
 $= -\frac{16}{65}$

#16.

$\cos A = \frac{12}{13}$ ($\frac{12}{5}$)

$y = 5$ Fourth quadrant $\therefore \sin A = -\frac{5}{13}$

$\sin 2A = 2 \sin A \cos A$

$$= 2\left(-\frac{5}{13}\right)\left(\frac{12}{13}\right) = \frac{-120}{169}$$

$$\#17. \frac{\tan x (1 - \sin^2 x)}{\cos^2 x} = \tan x$$

$$b) \frac{(\sin x + 3)(\sin x - 2)}{5(\sin x + 3)} = \frac{\sin x - 2}{5}$$

$$c) \frac{(\cos x + 2)(\cos x - 2)}{7(\cos x - 2)} = \frac{\cos x + 2}{7}$$

$$d) \frac{\tan(\sin x - 1)}{\tan(\sin x + 1)} = \frac{(\sin x - 1)(\sin x + 1)}{(\sin x + 1)} = \sin x - 1$$

$$\#18. \frac{\csc^2 x (1 - \cos^2 x)}{\csc^2 x \sin^2 x} = \frac{\csc^2 x \cdot 1}{\csc^2 x}$$

$$b) \frac{(\tan x - 1)(\tan x - 1)}{\tan^2 x - 2\tan x + 1} = \frac{\sec^2 x - 2\tan x}{\tan^2 x - 2\tan x + 1}$$

$$c) \frac{\sin^2 x + \cos^2 x}{\sec x}$$

$$\frac{[1 - \cos^2 x] + \cos^2 x}{\sec x}$$

$$\frac{1}{\sec x}$$

$$\cos x$$

$$\cos x$$

$$\cos x$$

$$d) \frac{1 + \tan x}{1 + \cot x}$$

$$= 1 + \frac{\sin x}{\cos x}$$

$$\frac{1 + \frac{\cos x}{\sin x}}{\sin x}$$

$$= \frac{\cos x + \sin x}{\cos x}$$

$$\frac{\sin x + \cos x}{\sin x}$$

$$= \frac{\cos x + \sin x}{\cos x} \cdot \frac{\sin x}{\sin x + \cos x} = \tan x$$

$$\sec^2 x - 2\tan x$$

$$\tan x$$

$$e) \frac{\sec x}{\sin x} - \frac{\sin x}{\cos x} \quad \cot x$$

$$= \frac{\sec x \cos x - \sin^2 x}{\sin x \cos x}$$

$$= \frac{1 - \sin^2 x}{\sin x \cos x}$$

$$= \frac{\cos^2 x}{\sin x \cos x}$$

$$= \frac{\cos x}{\sin x}$$

$$g) \frac{\sin x + \tan x}{\cos x + 1} \quad \tan x$$

$$= \frac{\sin x + \frac{\sin x}{\cos x}}{\cos x + 1} \quad \frac{\sin x}{\cos x}$$

$$= \frac{\cos x + 1}{\cos x + 1}$$

$$= \frac{\sin x \cos x + \sin x}{\cos x}$$

$$= \frac{\cos x + 1}{\cos x + 1}$$

$$= \frac{\sin x}{\cos x}$$

$$f) \frac{\csc x + \cot x}{\tan x + \sin x} = \cot x \csc x$$

$$= \frac{1 + \frac{\cos x}{\sin x}}{\frac{\sin x}{\cos x} + \sin x}$$

$$= \frac{\frac{\cos x}{\sin x} \cdot 1}{\frac{\sin x + \sin x \cos x}{\cos x}}$$

$$= \frac{1 + \cos x}{\sin x}$$

$$= \frac{1 + \cos x}{\sin x + \sin x \cos x}$$

$$= \frac{1 + \cos x}{\sin x + \sin x \cos x}$$

$$= \frac{1 + \cos x}{\sin x (1 + \cos x)}$$

$$= \frac{1}{\sin x}$$

$$= \frac{1}{\sin x}$$

$$h) \frac{\cos x + 1}{\sin x + \tan x} = \cot x$$

$$= \frac{\cos x + 1}{\sin x + \frac{\sin x}{\cos x}} \quad \frac{\cos x}{\sin x}$$

$$= \frac{\cos x + 1}{\frac{\sin x \cos x + \sin x}{\cos x}}$$

$$= (\cos x + 1) \cdot \frac{\cos x}{\sin x (1 + \cos x)}$$

$$= \frac{\cos x}{\sin x}$$

$$\begin{aligned}
 & \text{i) } \frac{\cos x}{1 - \sin x} \cdot \frac{1 + \sin x}{\cos x} \\
 & \frac{\cos x}{1 - \sin x} \left[\frac{1 + \sin x}{1 + \sin x} \right] \\
 & = \frac{\cos x + \sin x \cos x}{1 - \sin^2 x} \\
 & = \frac{\cos x (1 + \sin x)}{\cos^2 x} \\
 & = \frac{1 + \sin x}{\cos x}
 \end{aligned}$$

$$\begin{aligned}
 & \text{j) } \frac{1 + \cos x}{\sin x} = \frac{\sin x}{1 - \cos x} \\
 & \frac{\sin x}{1 - \cos x} \left[\frac{1 + \cos x}{1 + \cos x} \right] \\
 & = \frac{\sin x (1 + \cos x)}{1 - \cos^2 x} \\
 & = \frac{\sin x (1 + \cos x)}{\sin^2 x} \\
 & = \frac{1 + \cos x}{\sin x}
 \end{aligned}$$

$$\text{k) } \frac{\cos x}{\sec x - 1} + \frac{\cos x}{\sec x + 1}$$

$$\frac{\cos x}{\sec x - 1} \left[\frac{\sec x + 1}{\sec x + 1} \right] + \frac{\cos x}{\sec x + 1} \left[\frac{\sec x - 1}{\sec x - 1} \right]$$

$$\frac{\cos x \sec x + \cos x + \cos x \sec x - \cos x}{\sec^2 x - 1}$$

$$\frac{2}{\sec^2 x - 1}$$

$$\frac{2}{\tan^2 x}$$

$$= 2 \cot^2 x$$

2 cot² x

l) No solution

$$\text{m) } \frac{1 + \cos 2x}{\sin 2x}$$

cot x

$$\frac{\cos x}{\sin x}$$

$$= \frac{1 + 2\cos^2 x - 1}{2\sin x \cos x}$$

$$= \frac{2\cos^2 x}{2\sin x \cos x}$$

$$= \frac{\cos x}{\sin x}$$

$$n) 1 + \sin 2x = (\sin x + \cos x)^2$$

$$1 + 2\sin x \cos x = (\sin x + \cos x)(\sin x + \cos x)$$

$$\sin^2 x + 2\sin x \cos x + \cos^2 x$$

$$1 + 2\sin x \cos x$$

$$o) \sec^2 x = \frac{2}{1 + \cos 2x}$$

$$= \frac{2}{1 + [\cos^2 x - \sin^2 x]}$$

$$= \frac{2}{1 + \cos^2 x - \sin^2 x}$$

$$= \frac{2}{2\cos^2 x}$$

$$= \frac{1}{\cos^2 x}$$

$$= \sec^2 x$$

P) No solution

$$\#19 \sin 2x - \cos x = 0$$

$$2\sin x \cos x - \cos x = 0$$

$$\cos x (2\sin x - 1) = 0$$


$$\cos x = 0 \quad \sin x = 1/2$$

$$x = \pi, \frac{3\pi}{2} \quad x = \frac{\pi}{6}, \frac{5\pi}{6}$$

$$b) 2\cos^2 x - 1 = 0$$

$$\cos^2 x = \frac{1}{2}$$

$$\cos x = \pm \frac{\sqrt{2}}{2}$$



$$\frac{\pi}{4}, \frac{3\pi}{4}, \frac{5\pi}{4}, \frac{7\pi}{4}$$

$$c) \cos^2 x - 2 - \cos x = 0$$

$$\cos^2 x - \cos x - 2 = 0$$

$$(\cos x - 2)(\cos x + 1) = 0$$

$$\cos x = -1$$

$$x = \pi$$

#20 a) can't do

$$b) 2\cos^2 x - 5\sin x - 5 = 0$$

$$2[1 - \sin^2 x] - 5\sin x - 5 = 0$$

$$2 - 2\sin^2 x - 5\sin x - 5 = 0$$

$$\underline{-3 - 2\sin^2 x - 5\sin x = 0}$$

$$2\sin^2 x + 5\sin x + 3 = 0$$

$$(2\sin x + 3)(\sin x + 1) = 0$$

$$\sin x = \frac{-3}{2} \quad \text{or} \quad \sin x = -1$$

$$x = \frac{3\pi}{2}$$

$$c) \cot^2 x = 0$$

$$x = \pi, \frac{3\pi}{2}$$



$$\#21 a) \cos 2x - 5\cos x = 2$$

$$2\cos^2 x - 1 - 5\cos x - 2 = 0$$

$$2\cos^2 x - 5\cos x - 3 = 0$$

$$(2\cos x + 1)(\cos x - 3) = 0$$

$$\cos x = -\frac{1}{2} \quad \cos x = 3$$

$$x = \frac{2\pi}{3}, \frac{4\pi}{3}$$



$$b) \cot^2 x + 2 = 0$$

$$\cot^2 x = -2$$

$$\tan^2 x = -\frac{1}{2}$$

$$\tan x = \pm \frac{\sqrt{2}}{2}$$

$$x = 35^\circ, 215^\circ$$

↓

$$0.6109, 3.7525$$

Not an exact value!!

$$5.6723, 2.5307$$



$$c) 1 + \cos x = 2[1 - \cos^2 x]$$

$$1 + \cos x = 2 - 2\cos^2 x$$

$$2\cos^2 x + \cos x - 1 = 0$$

Harder to do

$$(2\cos x - 1)(\cos x + 1) = 0$$

$$22. \quad \cos^2 x = \frac{1}{2}$$

$$\cos x = \pm \frac{\sqrt{2}}{2}$$

$$x = 45^\circ, 135^\circ, \cancel{225^\circ}, \cancel{315^\circ}, -45^\circ, -135^\circ$$