1201 Common Mathematics Assessment Answer Sheet

Name: _____ Mathematics Teacher: _____

1.	А	В	С	D	21.	А	В	С	D
2.	А	В	С	D	22.	А	В	С	D
3.	А	В	С	D	23.	А	В	С	D
4.	А	В	С	D	24.	А	В	С	D
5.	А	В	С	D	25.	А	В	С	D
6.	А	В	С	D	26.	А	В	С	D
7.	А	В	С	D	27.	А	В	С	D
8.	А	В	С	D	28.	А	В	С	D
9.	А	В	С	D	29.	А	В	С	D
10.	А	В	С	D	30.	А	В	С	D
11.	А	В	С	D	31.	А	В	С	D
12.	А	В	С	D	32.	А	В	С	D
13.	А	В	С	D	33.	А	В	С	D
14.	А	В	С	D	34.	А	В	С	D
15.	А	В	С	D	35.	А	В	С	D
16.	А	В	С	D	36.	А	В	С	D
17.	А	В	С	D	37.	А	В	С	D
18.	А	В	С	D	38.	А	В	С	D
19.	А	В	С	D	39.	А	В	С	D
20.	А	В	С	D	40.	А	В	С	D

Eastern
School District
Mathematics 1201
Common Mathematics Assessment

Sample 2012

Name: Mathematics Teacher:

40 Selected Response 12 Constructed Response

FINAL

FORMULAE

Surface Area

Cylinder $2\pi r^2 + 2\pi rh$	Cone $\pi r^2 + \pi rs$	Sphere $4\pi r^2$
--------------------------------------	--------------------------------	--------------------------

Volume

Pyramid	Cone	Sphere
$\frac{1}{3}Ah$	$\frac{1}{3}\pi r^2h$	$\frac{4}{3}\pi r^3$

Conversions


1 foot = 12 inches	1 yard =	= 3 feet	1 mile = 1760 yards
1 inch = 2.54 centimetres \doteq 2	.5 centimetres	1 m	ile \doteq 1.6 kilometres

40 marks 40 marks


80 Marks


Selected Reponse: Choose the appropriate response on the answer sheet or SCANTRON.


- 1. If 42 bricks of length 5.5 inches each are used to enclose the perimeter of a garden, what is the perimeter of the garden to the nearest tenth of a yard?
 - A. 6.4 yards
 - B. 7.0 yards
 - C. 19.3 yards
 - D. 21.0 yards
- 2. Approximately how many centimetres are in 3 yards?
 - A. 42 cm
 - B. 43 cm
 - C. 270 cm
 - D. 280 cm
- 3. Joyce is driving a car in the United States and sees that the speed limit is 45 miles per hour. What should Joyce's speed limit be in kilometres per hour?
 - A. 18 km/h
 - B. 28 km/h
 - C. 72 km/h
 - D. 113 km/h
- 4. Which shape has a volume three times larger than the given pyramid?




- Squash balls have a radius of 20 mm.
 What is the volume of the smallest cubical box that will hold the ball?
 - A. 8000 mm³
 - B. 33 510 mm³
 - C. 64 000 mm³
 - D. 268 083 mm³
- 6. What is the surface area of the hemisphere?
 - A. 47 cm²
 - B. 157 cm²
 - C. 236 cm²
 - D. 393 cm²
- 7. Which ratio represents tan D?









- 8. Which equation should be used to determine the length of side *x*?
 - A. $\cos 34^\circ = \frac{x}{12}$ B. $\cos 34^\circ = \frac{12}{x}$ C. $\sin 34^\circ = \frac{x}{12}$ D. $\sin 34^\circ = \frac{12}{x}$




- 9. What is the measure of the angle of inclination between the ground and the top of a hot air balloon?
 - A. 33°
 - B. 41°
 - C. 49°
 - D. 57°




- 10. A tree cracked and fell over during a winter storm.
 If the fallen tree formed a 15° angle of inclination and the crack was 56 inches above the ground, what was the original height of the tree?
 - A. 114 inches
 - B. 216 inches
 - C. 264 inches
 - D. 272 inches



- 11. Susan is using cereal bars and yogurt tubes for her daughter's birthday party loot bags. Cereal bars are sold in packages of 6 and yogurt tubes are sold in packages of 8. What is the minimum number of loot bags that can be made so that there are no leftovers?
 - A. 6
 - B. 8
 - C. 24
 - D. 48
- 12. Which pattern could be used to predict the value of 4^{-4} ?



- 13. Which is equivalent to $2\sqrt{5}$?
 - A. $5^{\frac{1}{2}}$
 - B. $10^{\frac{1}{2}}$
 - C. $20^{\frac{1}{2}}$
 - D. $50^{\frac{1}{2}}$
- 14. Which number line best represents the placement of X, Y, and Z given?




15. Which is equivalent to $\left(-\frac{1}{8}\right)^{-3}$?

A.
$$(-8)^3$$

B. $\left(-\frac{1}{8}\right)^3$
C. $\left(\frac{1}{8}\right)^3$

16. Which is equivalent to $\left(\frac{2}{3}\right)^4 \left(\frac{2}{3}\right)^{-2}$?




- Simplify: $(2x^2)^3(3x^{-3})^0$ 17.
 - A. 8*x*⁶
 - B. $2x^6$
 - C. 8*x*⁵
 - D. $2x^5$


What is the GCF of $3x^2y^3 + 12x^3y^2 - 21xy^4$? 18.


- A. 3 B. xy^2 C. $3xy^2$ D. $3x^2y^2$

19. Which algebra tile model best represents the expansion of (x + 4)(x + 3)?



20. Which represents (x - 6)(3x + 1)?





$3x^2$	-18 <i>x</i>
x	-6


21. Expand and simplify: (2x - 3)(4x + 1)

- A. $8x^2 + 14x + 3$ B. $8x^2 + 10x + 3$ C. $8x^2 - 10x - 3$
- C. $8x^2 10x 3$ D. $8x^2 - 14x - 3$


22. Expand and simplify: $(3x^2 - 2x - 4)(x + 5)$

- A. $3x^3 + 17x^2 + 14x + 20$ B. $3x^3 + 13x^2 + 14x - 20$ C. $3x^3 + 13x^2 - 14x - 20$
- D. $3x^3 17x^2 14x 20$
- 23. Factor: $3x^2 + 14x 5$
 - A. (3x 1)(x 5)
 - B. (3x-1)(x+5)
 - C. (3x + 1)(x + 5)D. (3x + 1)(x - 5)
- 24. Factor: $49a^2 81b^2$
 - A. (7a 9b)(7a 9b)
 - B. (7a 9b)(7a + 9b)
 - C. (9b 7a)(9b + 7a)D. (9b - 7a)(9b - 7a)
- 25. The number of hours a person works affects the amount of money earned. What is the dependent variable?
 - A. The amount of money earned.
 - B. The amount of work completed.
 - C. The number of hours work.
 - D. The number of people working.
- 26. Which set of ordered pairs represents a function?
 - A. (-1, 2), (0, 2), (-1, 3), (2, 4)
 - B. (-1, 3), (2, 3), (3, 4), (3, 5)
 - C. (0, 0), (1, 1), (1, 2), (2, 3)
 - D. (0, 0), (1, 2), (2, 3), (3, 4)

27. Mark is walking to a friend's house.Part way there it begins to rain and he starts to run.He stops at his friend's house for a while before returning home.Which distance-time graph best represents this situation?



28. What is the range of the graph below?




- A. $\{x \mid -8 \le x \le 2, x \in R\}$
- B. $\{x \mid -1 \le x \le 3, x \in \mathbb{R}\}$
- C. $\{y | -8 \le y \le 2, y \in R\}$
- D. $\{y | -1 \le y \le 3, y \in \mathbb{R}\}$


29. If g(x) = 3x - 2, what is the value of x when g(x) = -14?

- A. x = -16
- B. x = -12
- C. $x = -\frac{16}{3}$
- D. x = -4

- 30. Which ordered pair represents f(4) = -7?
 - A. (-7, 4) B. (-4, 7) C. (4, -7)
 - D. (7, -4)
- 31. Which graph represents the equation y = 2x 3?



- 32. In the graph below, LM is represented by the equation y = 0.5x + 4. If NP is parallel to LM, what is the equation of NP?
 - A. y = 0.5x 2B. y = 0.5x + 2
 - C. y = 2x 2
 - D. y = 2x + 2



33. A line has slope $\frac{1}{2}$ and passes through point (6, -2). What is the equation of the line?

A. -x + y + 8 = 0B. -x + 2y - 4 = 0C. -x + 2y + 10 = 0D. x + 2y + 10 = 0

34. Which point is on the line y + 5 = 3(x - 2)?

A. (-2, -5)B. (-2, 5)C. (2, -5)D. (2, 5)


- 35. What is the value of k such that the line passing through (4, -5) and (2, k) is parallel to the line y = -4x + 3?
 - A. k = -3B. k = -1C. k = 1D. k = 3


Which linear equation represents the data in the table of values? 36.

X	У
-5	-20
0	-5
5	10
10	25
15	40


- A. y = -3x 5B. y = -3x + 5C. y = 3x 5D. y = 3x + 5

$$\begin{cases} x = -4 \\ y = 1 \end{cases}$$





38. The principal compares the cost of two photographers for student IDs. Which statement is true?




- A. *Clickster* is the better value for less than 100 students.
- B. *Clickster* is the better value for more than 150 students.
- C. *Snapshot* is the better value for less than 100 students.
- D. *Snapshot* is the better value for more than 50 students.
- 39. Linda pays \$165.50 for three concert tickets and one shirt. Glenn pays \$275.00 for four concert tickets and two shirts. Which linear system correctly models this situation?
 - A. $\begin{cases} 3t + 4t = 165.50\\ s + 2s = 275.00 \end{cases}$
 - B. $\begin{cases} 3t + 4t = 275.00\\ s + 2s = 165.50 \end{cases}$
 - C. $\begin{cases} 3t + s = 165.50\\ 4t + 2s = 275.00 \end{cases}$
 - D. $\begin{cases} 3t + s = 275.00 \\ 4t + s = 165.50 \end{cases}$
- 40. Which system has an infinite number of solutions?

A.
$$\begin{cases} x + y = 3\\ 2x + 3y = 4 \end{cases}$$


- $B. \quad \begin{cases} x+y=3\\ 2x+2y=6 \end{cases}$
- C. $\begin{cases} x+y=3\\ 2x+2y=8 \end{cases}$
- D. $\begin{cases} x+y=3\\ 2x+y=3 \end{cases}$

Constructed Response: Calculator Permitted. Answers to be written on this paper in the space provided. Show all workings.


41. What is the surface area of a right square based pyramid with a base length of 10 [3 points] inches and a height of 12 inches (to the nearest square inch)?



42. A mailbox is in the shape of a rectangular prism topped by a half-cylinder, as shown. ^[3 points] What is the volume of the mailbox (to the nearest cubic inch)?



43. From a point 45 m from the base of a movie theatre, the angle of inclination to the ^[4 points] top of the theatre is 38°. The angle of inclination to the top of a billboard on the roof of the theatre is 41°. What is the height of the billboard (to the nearest metre)?



44. Express $\sqrt[4]{1620}$ as a mixed radical in simplest form.

[3 points]


Page 11 of 14 Eastern School District Sample 2012 45. Jennifer did not receive full marks for her solution below. Identify her errors and provide a correct solution.

$$\frac{(p^{-3} q^2)^{-4}}{(2p^2 q^{-3})^3}$$
$$= \frac{p^{12} q^{-8}}{2p^6 q^{-9}}$$
$$= \frac{p^{12-6} q^{-8-9}}{2}$$
$$= \frac{p^6 q^{-17}}{2}$$
$$= \frac{p^6}{2q^{17}}$$

46. Factor completely:

 $6x^2 + 27x + 12$

47. Shane determines the expression for the volume of this right rectangular prism to be $[4 \text{ points}] 4x^3 + 4x^2 - 60x$. Algebraically determine if Shane is correct.




[3 points]

[3 points]


[3 points]

48. A person moves in front of a motion sensor to produce the distance-time graph shown. Accurately describe the movements, including references to speed and direction.



- 49. A boat travelling at 8 m/s begins to accelerate. Its new speed, S, in metres per second, is modelled by the function S(t) = 8 + 1.5t, where t is the length of time, in seconds, that it accelerates.
 - a) Determine the speed of the boat at 7 seconds.
 - b) Determine the time it takes for the boat to reach 26 m/s.
 - c) What is the domain of this function?
- 50. Determine the equation of the line passing through (8, -1) and (4, 1) in general [3 points] form.

51. Is quadrilateral ABCD a parallelogram? Justify your answer.



52. Algebraically solve the linear system.

$$\begin{cases} 3x + \frac{1}{2}y = 12\\ -2x + y = 8 \end{cases}$$

[4 points]